P75D1-US INTERCONNECT FOR MICROELECTRONIC STRUCTURES WITH ENHANCED SPRING CHARACTERISTICS Express Mail No: EV 330652370US

Sheet 1 of 9




Fig. 1




Fig. 2

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 2 of 9




Fig. 3

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 3 of 9




Fig. 4




Fig. 5

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 4 of 9






Fig. 6



**Fig.** 7

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 5 of 9

1111 150 1125 125 125 120 100 Fig. 8



P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 6 of 9




Fig. 10




Fig. 11

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 7 of 9




Fig. 12

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 8 of 9




Fig. 13




Fig 14

P75D1-US
INTERCONNECT FOR MICROELECTRONIC
STRUCTURES WITH ENHANCED SPRING
CHARACTERISTICS
Express Mail No: EV 330652370US
Sheet 9 of 9




Fig. 15